

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
GENERAL INFO	1	1	1	Record Identifier	Use the tilde (~) character to start the line.
GENERAL INFO	5	2	6	Submission ID	The unique identifier assigned by NCQA for summary-level data submission
GENERAL INFO	18	7	24	Product Line	QHP_HMO, QHP_POS, QHP_PPO, QHP_EPO
GENERAL INFO	30	25	54	Member ID	Member ID should be the member's NYS-issued HIXNY Member ID. Do not report the identifier used in HEDIS.
GENERAL INFO	8	55	62	Date of birth	The birth date must contain 8 digits with month, day, year Enter: MMDDYYYY (e.g., September 20, 1983 would be 09201983)
GENERAL INFO	2	63	64	Member Months	The member month contribution this member adds according to enrollment data. Valid values are between 0 - 12.
GENERAL INFO	1	65	65	Sex	Enter: The sex assigned at birth 'F' member is female 'M' member is male 'O' includes, but is not limited to: missing, refused, and unspecified No other characters are allowed

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E) COLUMN LENGTH COLUMN START COLUMN END FIELD

SPECIFICATION

GENERAL INFO	1	66	66	Race	Enter the member's race: 1=White 2=Black or African American 3=American Indian/Alaskan Native 4=Asian 5=Native Hawaiian/Pacific Islander 6=SomeOtherRace 7=Two or more races 8=AskedButNoAnswer 9=Unknown
GENERAL INFO	1	67	67	Source of Race Data	Provide the source of ethnicity data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when ethnicity is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)
GENERAL INFO	1	68	68	Ethnicity	Enter the Member's ethnicity: 1=Hispanic or Latino 2=Non-Hispanic or Latino 9=Unknown 0=Asked but not answered
GENERAL INFO	1	69	69	Source of Ethnicity Data	Provide the source of ethnicity data: 20 = Health Plan Direct (Direct) 21 = CMS databases (Direct) 22 = State Databases (Direct) 23 = Surname Analysis (Indirect) 24 = Geo-coding Analysis (Indirect) 28 = Unknown (use this when ethnicity is unknown or asked but no answer) 29= Other (direct) 30 = Other (indirect)

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer
Screening (CCS E)

COLUMN
LENGTH

COLUMN
START

COLUMN
END

FIELD

SPECIFICATION

GENERAL INFO	2	70	71	Asian American Subgroups	<p>If member is Asian then identify the specific subgroup:</p> <p>01=Chinese 02=Japanese 03=Filipino 04=Korean 05=Vietnamese 06=Asian Indian 07=Laotian 08=Cambodian 09=Bangladeshi 10=Hmong 11=Indonesian 12=Malaysian 13=Pakistani 14=Sri Lankan 15=Taiwanese 16=Nepalese 17=Burmese 18=Thai 19=Unknown 20=Declined 00=Not Asian</p>
GENERAL INFO	1	72	72	Native Hawaiian/Pacific Islander Subgroups	<p>If member is Native Hawaiian or Pacific Islander then identify the subgroup:</p> <p>1=Hawaiian 2=Guamanian/Chamorro 3=Samoan 4=Fijian 5=Tongan 6=Unknown 7=Declined 0=Not Asian</p>
GENERAL INFO	3	73	75	Language Spoken	<p>Enter the member's spoken language:</p> <p>001=English</p> <p>*For all other languages other than English see the Language Value Set on the QARR Technical Specifications for the appropriate code</p> <p>197=Unknown 199=Declined</p>

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E) COLUMN LENGTH COLUMN START COLUMN END FIELD

SPECIFICATION

GENERAL INFO	3	76	78	County of Residence	Enter the 3-digit county FIPS code for each member's residence of county. See the attachment for codes and values to enter here. ### = FIPS Code 000= Outside of NYS 999 = Unknown
General Info	1	79	79	Metal Level	1=Platinum 2 = Gold 3 = Silver 4 = Bronze 5 = Catastrophic 9 = Unknown
General Info	1	80	80	Marketplace Product	Enter the '1' if the member enrolled through the Marketplace in an individual benefit, '2' if the member enrolled outside of the Marketplace in an individual benefit, '3' if the member enrolled in the Small Business Health Options Program (SHOP) through the Marketplace, '4' if the member enrolled in the Small Business outside the Marketplace, and '9' if unknown.
AAB	2	81	82	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	83	84	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	85	86	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
AAB	2	87	88	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AAB	2	89	90	Denominator for Avoidance of Antibiotic Treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AAB	2	91	92	Numerator for Avoidance of Antibiotic treatment for Acute Bronchitis/Bronchiolitis (AAB): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
AIS-E	1	93	93	Denominator 1 for Adult Immunization Status (AIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	94	94	Numerator for Adult Immunization Status (AIS-E): Influenza (Population Criteria 1)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	95	95	Numerator for Adult Immunization Status (AIS-E): Td/Tdap (Population Criteria 2)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	96	96	Denominator 3 for Adult Immunization Status (AIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	97	97	Numerator for Adult Immunization Status (AIS-E): Zoster (Population Criteria 3)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AIS-E	1	98	98	Denominator 4 for Adult Immunization Status (AIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AIS-E	1	99	99	Numerator for Adult Immunization Status (AIS-E): Pneumococcal (Population Criteria 4)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMM	1	100	100	Denominator for Antidepressant Medication Management (AMM)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMM	1	101	101	Numerator for Antidepressant Medication Management (AMM): Effective Acute Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer
Screening (CCS E)

COLUMN
LENGTH

COLUMN
START

COLUMN
END

FIELD

SPECIFICATION

AMM	1	102	102	Numerator for Antidepressant Medication Management (AMM): Effective Continuation Phase Treatment	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMO	1	103	103	Denominator for Annual Monitoring for Persons on Long-term Opioid Therapy (AMO): 18+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMO	1	104	104	Numerator for Annual Monitoring for Persons on Long-term Opioid Therapy (AMO): 18+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	105	105	Denominator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	106	106	Numerator for Asthma Medication Ratio (AMR): 5-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	107	107	Denominator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	108	108	Numerator for Asthma Medication Ratio (AMR): 12-18 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	109	109	Denominator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
AMR	1	110	110	Numerator for Asthma Medication Ratio (AMR): 19-50 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
AMR	1	111	111	Denominator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
AMR	1	112	112	Numerator for Asthma Medication Ratio (AMR): 51-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
BCS-E	1	113	113	Denominator for Breast Cancer Screening Electronic (BCS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
BCS-E	1	114	114	Numerator for Breast Cancer Screening Electronic (BCS-E)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CBP	1	115	115	Denominator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CBP	1	116	116	Numerator for Controlling High Blood Pressure (CBP)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS	1	117	117	Denominator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS	1	118	118	Numerator for Cervical Cancer Screening (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CCS-E	1	119	119	Denominator for Cervical Cancer Screening Electronic (CCS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CCS-E	1	120	120	Numerator for Cervical Cancer Screening Electronic (CCS)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	121	121	Denominator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer
Screening (CCS E)

COLUMN
LENGTH

COLUMN
START

COLUMN
END

FIELD

SPECIFICATION

CHL	1	122	122	Numerator for Chlamydia Screening in Women (CHL): 16-20 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CHL	1	123	123	Denominator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CHL	1	124	124	Numerator for Chlamydia Screening in Women (CHL): 21-24 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	125	125	Denominator for Childhood Immunization Status (CIS)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS	1	126	126	Numerator for Childhood Immunization Status (CIS): DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	127	127	Numerator for Childhood Immunization Status (CIS): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	128	128	Numerator for Childhood Immunization Status (CIS): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	129	129	Numerator for Childhood Immunization Status (CIS): HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	130	130	Numerator for Childhood Immunization Status (CIS): HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	131	131	Numerator for Childhood Immunization Status (CIS): VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS	1	132	132	Numerator for Childhood Immunization Status (CIS): PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	133	133	Numerator for Childhood Immunization Status (CIS): Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	134	134	Numerator for Childhood Immunization Status (CIS): Rotavirus	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS	1	135	135	Numerator for Childhood Immunization Status (CIS): HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	136	136	Denominator for Childhood Immunization Status Electronic (CIS-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
CIS-E	1	137	137	Numerator for Childhood Immunization Status Electronic (CIS-E) : DTaP	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	138	138	Numerator for Childhood Immunization Status Electronic (CIS-E): IPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	139	139	Numerator for Childhood Immunization Status Electronic (CIS-E): MMR	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	140	140	Numerator for Childhood Immunization Status Electronic (CIS-E) : HiB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	141	141	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepB	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CIS-E	1	142	142	Numerator for Childhood Immunization Status Electronic (CIS-E) : VZV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	143	143	Numerator for Childhood Immunization Status Electronic (CIS-E) : PCV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	144	144	Numerator for Childhood Immunization Status Electronic (CIS-E) : HepA	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	145	145	Numerator for Childhood Immunization Status Electronic (CIS-E) : RV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	146	146	Numerator for Childhood Immunization Status Electronic (CIS-E) : Influenza	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CIS-E	1	147	147	Numerator for Childhood Immunization Status Electronic (CIS-E) : Combo 10	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
COL-E	1	148	148	Denominator for Colorectal Cancer Screening (COL-E): 50-75 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
COL-E	1	149	149	Numerator for Colorectal Cancer Screening (COL-E): 50-75 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
CWP	2	150	151	Denominator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	152	153	Numerator for Appropriate Testing for Pharyngitis (CWP): 3-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
CWP	2	154	155	Denominator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	156	157	Numerator for Appropriate Testing for Pharyngitis (CWP): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
CWP	2	158	159	Denominator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
CWP	2	160	161	Numerator for Appropriate Testing for Pharyngitis (CWP): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
DSF-E	1	162	162	Denominator 1 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	163	163	Numerator Depression Screening (Population Criteria 1) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	164	164	Denominator 1 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	165	165	Numerator Depression Screening (Population Criteria 1) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	166	166	Denominator 2 for Depression Screening and Follow-up (DSF-E): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	167	167	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
DSF-E	1	168	168	Denominator 2 for Depression Screening and Follow-up (DSF-E): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	169	169	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
DSF-E	1	170	170	Denominator 2 for Depression Screening and Follow-up (DSF-E): 65+ years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
DSF-E	1	171	171	Numerator Follow-Up on Positive Screen (Population Criteria 2) (DSF-E): 65+ years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
EED	1	172	172	Denominator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
EED	1	173	173	Numerator for Eye Exam for Patients with Diabetes (EED)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
FUH	2	174	175	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	176	177	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 30-day follow-up	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	178	179	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	180	181	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
FUH	2	182	183	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	184	185	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 18-64 years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	186	187	Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
FUH	2	188	189	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 30-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
FUH	2	190	191	Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
HBD	1	192	192	Denominator for Hemoglobin A1c Control for Patients with Diabetes (HBD)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
HBD	1	193	193	Numerator for HbA1c Control <8% (HBD)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IET	2	194	195	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	196	197	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	198	199	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Alcohol Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer
Screening (CCS E)

COLUMN
LENGTH

COLUMN
START

COLUMN
END

FIELD

SPECIFICATION

IET	2	200	201	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Opioid Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	202	203	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	204	205	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Opioid Use Disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	206	207	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 13-17 years Other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	208	209	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	210	211	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 13-17 years Other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	212	213	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Alcohol use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	214	215	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	216	217	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	218	219	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
IET	2	220	221	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	222	223	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	224	225	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 18-64 other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	226	227	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	228	229	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 18-64 other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	230	231	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Alcohol Use Disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	232	233	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	234	235	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Alcohol use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	236	237	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ years Opioid use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	238	239	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer
Screening (CCS E)

COLUMN
LENGTH

COLUMN
START

COLUMN
END

FIELD

SPECIFICATION

IET	2	240	241	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagement of AOD Treatment, 65+ years Opioid use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	242	243	Denominator for Initiation and Engagement of Substance Use Disorder Treatment (IET): 65+ other substance use disorder	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
IET	2	244	245	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Initiation of Other substance use disorder, 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IET	2	246	247	Numerator for Initiation and Engagement of Substance Use Disorder Treatment (IET): Engagment of other substance use disorder 65+ other substance use disorder	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
IMA	1	248	248	Denominator for Immunizations for Adolescents (IMA)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
IMA	1	249	249	Numerator for Immunizations for Adolescents (IMA): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	250	250	Numerator for Immunizations for Adolescents (IMA): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	251	251	Numerator for Immunizations for Adolescents (IMA): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA	1	252	252	Numerator for Immunizations for Adolescents (IMA): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	253	253	Denominator for Immunizations for Adolescents Electronic (IMA-E)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E) COLUMN LENGTH COLUMN START COLUMN END FIELD

SPECIFICATION

IMA-E	1	254	254	Numerator for Immunizations for Adolescents Electronic (IMA-E): Meningococcal	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	255	255	Numerator for Immunizations for Adolescents Electronic (IMA-E): Tdap	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	256	256	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 1	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	257	257	Numerator for Immunizations for Adolescents Electronic (IMA-E): HPV	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
IMA-E	1	258	258	Numerator for Immunizations for Adolescents Electronic (IMA-E): Combo 2	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
INR	1	259	259	Denominator for International Normalized ratio Monitoring for Individuals on Warfarin (INR)	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
INR	1	260	260	Numerator for International Normalized ratio Monitoring for Individuals on Warfarin (INR)	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	261	261	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	262	262	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 18-64 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	263	263	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
KED	1	264	264	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 65-74 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
KED	1	265	265	Denominator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
KED	1	266	266	Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	267	267	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	268	268	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 18-64 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
LBP	1	269	269	Denominator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
LBP	1	270	270	Numerator for Use of Imaging Studies for Low Back Pain (LBP), Ages 65-75 Years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	271	271	Proportion of Days Covered (PDC) Denominator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	272	272	Proportion of Days Covered (PDC) Numerator for Rate 1: Renin Angiotensin System (RAS) Antagonists	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	273	273	Proportion of Days Covered (PDC) Denominator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
PDC	1	274	274	Proportion of Days Covered (PDC) Numerator for Rate 2: Diabetes Medications	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PDC	1	275	275	Proportion of Days Covered (PDC) Denominator for Rate 3: Statins	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
PDC	1	276	276	Proportion of Days Covered (PDC) Numerator for Rate 3: Statins	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
PPC	2	277	278	Denominator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	279	280	Numerator for Prenatal and Postpartum Care (PPC): Timeliness of Prenatal Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
PPC	2	281	282	Denominator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in denominator '0' if the member is not in the denominator
PPC	2	283	284	Numerator for Prenatal and Postpartum Care (PPC): Postpartum Care	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
SNS-E	1	285	285	Social Need Screening and Intervention (SNS-E) Denominator 1: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	286	286	Social Need Screening and Intervention (SNS-E) Numerator 1— Members in denominator 1 with a documented result for food insecurity screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	287	287	Social Need Screening and Intervention (SNS-E) Denominator 2: All members in numerator 1 with a positive food insecurity screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications MARKETPLACE					Revision date: June 5, 2023
Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
SNS-E	1	288	288	Social Need Screening and Intervention (SNS-E) Numerator 2: Members in denominator 2 receiving a food insecurity intervention on or up to 30 days after the date of the first positive food insecurity screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	289	289	Social Need Screening and Intervention (SNS-E) Denominator 3 : The initial population, minus exclusions	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	290	290	Social Need Screening and Intervention (SNS-E) Numerator 3: Members in denominator 1 with a documented result for housing instability, homelessness or housing inadequacy screening performed between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	291	291	Social Need Screening and Intervention (SNS-E) Denominator 4: All members in numerator 3 with a positive housing instability, homelessness or housing inadequacy screen finding between January 1 and December 1 of the measurement period.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	292	292	Social Need Screening and Intervention (SNS-E) Numerator 4: Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	293	293	Social Need Screening and Intervention (SNS-E) Denominator 5: The initial population, minus exclusions.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	294	294	Social Need Screening and Intervention (SNS-E) Numerator 5: Members in denominator 4 receiving an intervention corresponding to the type of housing need identified on or up to 30 days after the date of the first positive housing screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
SNS-E	1	295	295	Social Need Screening and Intervention (SNS-E) Denominator 6: All members in numerator 5 with a positive transportation insecurity screen finding between January 1 and December 1 of the measurement period	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
SNS-E	1	296	296	Social Need Screening and Intervention (SNS-E) Numerator 6: Members in denominator 6 receiving a transportation insecurity intervention on or up to 30 days after the date of the first positive transportation screen (31 days total).	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E) COLUMN LENGTH COLUMN START COLUMN END FIELD

SPECIFICATION

URI	2	297	298	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	299	300	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 3 months-17 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	301	302	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	303	304	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 18-64 years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
URI	2	305	306	Denominator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the denominator '0' if the member is not in the denominator
URI	2	307	308	Numerator for Appropriate Treatment for Upper Respiratory Infection (URI): 65+ years	Enter: The number of times this member is in the numerator '0' if the member is not in the numerator OR the information is missing
W30	1	309	309	Denominator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	310	310	Numerator for Well-Child Visits in the First 15 Months (W30). Children who turned 15 months old during MY: Six or more well-child visits	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
W30	1	311	311	Denominator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
W30	1	312	312	Numerator for Well-Child Visits for Age 15 Months-30 Months (W30). Children who turned 30 months old during the MY: Two or more well-child visits.	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	313	313	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E)	COLUMN LENGTH	COLUMN START	COLUMN END	FIELD	SPECIFICATION
WCC	1	314	314	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	315	315	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	316	316	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): BMI Percentile, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	317	317	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	318	318	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	319	319	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	320	320	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Nutrition, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	321	321	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCC	1	322	322	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCC	1	323	323	Denominator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator

NYS MY2023 Patient-Level Detail File Specifications

MARKETPLACE

Revision date: June 5, 2023

Cervical Cancer Screening (CCS E) COLUMN LENGTH COLUMN START COLUMN END FIELD

SPECIFICATION

WCC	1	324	324	Numerator for Weight Assessment and Counseling for Nutrition and Physical Activity for Children/Adolescents (WCC): Counseling for Physical Activity, 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	325	325	Denominator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	326	326	Numerator for Child and Adolescent Well-Care Visits (WCV): 3-11 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	327	327	Denominator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	328	328	Numerator for Child and Adolescent Well-Care Visits (WCV): 12-17 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing
WCV	1	329	329	Denominator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the denominator '0' if this member is not in the denominator
WCV	1	330	330	Numerator for Child and Adolescent Well-Care Visits (WCV): 18-21 years	Enter: '1' if this member is in the numerator '0' if this member is not in the numerator OR the information for this member is missing

NYS MY2023 Patient-Level Detail File Change Log MARKETPLACE			Revision date: June 5, 2023
Version	Date	Data Element	Change Summary
Specification Release MY2023	1/9/2023	Multiple	Initial MY2023 update per HEDIS 2022 specifications: This included removal of all unused columns either due to retirement or unnecessary totaling. These include the measure ABA, BCS, and MMA. There was a combining of measure columns when they were separated which impacted COL, COL-E, and IET. General information was grouped together at the top of the file. We have added requests for Asian American subgroup, Pacific Island group, and more detailed information for language other than English. HBD had an extra numerator which was removed. Measures are alphabetically arranged by shortname. Changes or additions will be added to the bottom of the file for 2023. The file will be re-sorted alphabetically for 2024.
Specification Release MY2023	6/5/2023	Multiple	<p>Field Source of Race Data: 22 = State Databases (Direct) was added as a response option.</p> <p>Field Source of Ethnicity Data: 22 = State Databases (Direct) was added as a response option</p> <p>Measure FUH: Denominator for Follow-Up After Hospitalization for Mental Illness (FUH): 6-17 years was missing and was added.</p> <p>Measure FUH: Numerator for Follow-Up After Hospitalization for Mental Illness (FUH): 65+ years, 7-day follow-up was missing and was added.</p> <p>Measure KED: Numerator for Kidney Health Evaluation for Patients With Diabetes (KED): 75-85 years was missing and was added.</p> <p>ECDS measures: The following measures have been added as required reporting on the PLD:</p> <ul style="list-style-type: none"> Adult Immunization Status (AIS-E) Cervical Cancer Screening (CCS-E) Childhood Immunization Status (CIS-E) Depression Screening and Follow-Up for Adolescents and Adults (DSF-E) Social Need Screening and Intervention (SNS-E)

